

Click on spec number for details

TS 25.053	Tandem Free Operation (TFO); Service description; Stage 2	SPECIFICATION WITHDRAWN
TS 25.05U	UMTS Radio Aspects; Multiplexing and multiple access	SPECIFICATION WITHDRAWN
TS 25.101	User Equipment (UE) radio transmission and reception (FDD)	
TS 25.102	User Equipment (UE) radio transmission and reception (TDD)	
TS 25.103	RF parameters in support of RRM	SPECIFICATION WITHDRAWN
TS 25.104	Base Station (BS) radio transmission and reception (FDD)	
TS 25.105	Base Station (BS) radio transmission and reception (TDD)	
TS 25.106	UTRA repeater radio transmission and reception	
TS 25.107	UTRA Repeater; Conformance testing	SPECIFICATION WITHDRAWN
TS 25.10U	UMTS Radio Aspects; Channel coding	SPECIFICATION WITHDRAWN
TS 25.113	Base station and repeater electromagnetic compatibility (EMC)	
TS 25.123	Requirements for support of radio resource management (TDD)	
TS 25.133	Requirements for support of radio resource management (FDD)	
TS 25.141	Base Station (BS) conformance testing (FDD)	
TS 25.142	Base Station (BS) conformance testing (TDD)	
TS 25.143	UTRA repeater conformance testing	
TS 25.15U	UMTS Radio Aspects; Modulation	SPECIFICATION WITHDRAWN
TS 25.171	Requirements for support of Assisted Global Positioning System (A-GPS); Frequency Division Duplex (FDD)	
TS 25.201	Physical layer - general description	
TS 25.202	7.68Mcps Time Division Duplex (TDD) option ; Overall description: Stage 2	
TS 25.20U	UMTS Radio Aspects; Transmission and reception	SPECIFICATION WITHDRAWN
TS 25.211	Physical channels and mapping of transport channels onto physical channels (FDD)	
TS 25.212	Multiplexing and channel coding (FDD)	
TS 25.213	Spreading and modulation (FDD)	
TS 25.214	Physical layer procedures (FDD)	
TS 25.215	Physical layer; Measurements (FDD)	
TS 25.221	Physical channels and mapping of transport channels onto physical channels (TDD)	
TS 25.222	Multiplexing and channel coding (TDD)	
TS 25.223	Spreading and modulation (TDD)	
TS 25.224	Physical layer procedures (TDD)	
TS 25.225	Physical layer; Measurements (TDD)	
TS 25.231	Physical layer - Measurements	SPECIFICATION WITHDRAWN
TS 25.301	Radio interface protocol architecture	
TS 25.302	Services provided by the physical layer	
TS 25.303	Interlayer procedures in Connected Mode	
TS 25.304	User Equipment (UE) procedures in idle mode and procedures for cell reselection in connected mode	
TS 25.305	User Equipment (UE) positioning in Universal Terrestrial Radio Access Network (UTRAN); Stage 2	
TS 25.306	UE Radio Access capabilities	

TS 25.307	Requirements on User Equipments (UEs) supporting a release-independent frequency band	
TS 25.308	High Speed Downlink Packet Access (HSDPA); Overall description; Stage 2	
TS 25.309	FDD enhanced uplink; Overall description; Stage 2	
TS 25.319	Enhanced uplink; Overall description; Stage 2	
TS 25.321	Medium Access Control (MAC) protocol specification	
TS 25.322	Radio Link Control (RLC) protocol specification	
TS 25.323	Packet Data Convergence Protocol (PDCP) specification	
TS 25.324	Broadcast/Multicast Control (BMC)	
TS 25.331	Radio Resource Control (RRC); Protocol specification	
TS 25.346	Introduction of the Multimedia Broadcast/Multicast Service (MBMS) in the Radio Access Network (RAN); Stage 2	
TS 25.371	LMU signalling	SPECIFICATION WITHDRAWN
TS 25.401	UTRAN overall description	
TS 25.402	Synchronization in UTRAN Stage 2	
TS 25.409	Enhanced uplink UTRA FDD; Stage 3	SPECIFICATION WITHDRAWN
TS 25.410	UTRAN Iu interface: General aspects and principles	
TS 25.411	UTRAN Iu interface layer 1	
TS 25.412	UTRAN Iu interface signalling transport	
TS 25.413	UTRAN Iu interface Radio Access Network Application Part (RANAP) signalling	
TS 25.414	UTRAN Iu interface data transport & transport signalling	
TS 25.415	UTRAN Iu interface user plane protocols	
TS 25.419	UTRAN Iu-BC interface: Service Area Broadcast Protocol (SABP)	
TS 25.420	UTRAN Iur interface general aspects and principles	
TS 25.421	UTRAN Iur interface layer 1	
TS 25.422	UTRAN Iur interface signalling transport	
TS 25.423	UTRAN Iur interface Radio Network Subsystem Application Part (RNSAP) signalling	
TS 25.424	UTRAN Iur interface data transport & transport signalling for Common Transport Channel data streams	
TS 25.425	UTRAN Iur interface user plane protocols for Common Transport Channel data streams	
TS 25.426	UTRAN Iur and Iub interface data transport & transport signalling for DCH data streams	
TS 25.427	UTRAN Iur/Iub interface user plane protocol for DCH data streams	
TS 25.430	UTRAN Iub Interface: general aspects and principles	
TS 25.431	UTRAN Iub interface Layer 1	
TS 25.432	UTRAN Iub interface: signalling transport	
TS 25.433	UTRAN Iub interface Node B Application Part (NBAP) signalling	
TS 25.434	UTRAN Iub interface data transport and transport signalling for Common Transport Channel data streams	
TS 25.435	UTRAN Iub interface user plane protocols for Common Transport Channel data streams	
TS 25.442	UTRAN implementation-specific O&M transport	
TS 25.450	UTRAN Iupc interface general aspects and principles	
TS 25.451	UTRAN Iupc interface layer 1	
TS 25.452	UTRAN Iupc interface: signalling transport	
TS 25.453	UTRAN Iupc interface Positioning Calculation Application Part (PCAP) signalling	
TS 25.460	UTRAN Iuant interface: General aspects and principles	
TS 25.461	UTRAN Iuant interface: Layer 1	
TS 25.462	UTRAN Iuant interface: Signalling transport	

TS 25.463	UTRAN Iuant interface: Remote Electrical Tilting (RET) antennas Application Part (RETAP) signalling	
TR 25.801	Feasibility study for improved access to User Equipment (UE) measurement data for Controlling Radio Network Controller (CRNC) to support Time Division Duplex (TDD) Radio Resource Management (RRM)	
TR 25.802	Remote control of electrical tilting antennas	
TR 25.803	S-CCPCH performance for Multimedia Broadcast/Multicast Service (MBMS)	
TR 25.804	Feasibility study on uplink enhancements for UTRA TDD	
TR 25.805	DS-CDMA introduction in the 800 MHz band	
TR 25.806	UMTS 1700/2100MHz Work Item	
TR 25.807	Low output powers for general purpose Frequency Division Duplex (FDD) Base Station (BS)	
TR 25.808	FDD enhanced uplink; Physical layer aspects	
TR 25.809	7.68 Mcps TDD option: Physical layer	
TR 25.810	UMTS 2.6 GHz (FDD) Work Item Technical Report	
TS 25.811	UMTS 2.6 GHz TDD Work Item Technical Report	
TR 25.812	Requirements for evolved Universal Terrestrial Radio Access (UTRA) and Universal Terrestrial Radio Access Network (UTRAN)	SPECIFICATION WITHDRAWN
TR 25.813	Evolved Universal Terrestrial Radio Access (E-UTRA) and Evolved Universal Terrestrial Radio Access Network (E-UTRAN); Radio interface protocol aspects	
TR 25.814	Physical layer aspect for evolved UTRA	
TR 25.815	Signalling enhancements for Circuit-Switched (CS) and Packet-Switched (PS) connections; Analyses and recommendations	
TR 25.816	UMTS 900 MHz Work Item technical report	
TR 25.817	UMTS 1700 Work item Technical Report	
TR 25.818	UTRA tower mounted amplifier (FDD) study item technical report	
TR 25.819	7.68 Mcps TDD option: Layer 2 and 3 protocol aspects	
TR 25.826	3.84 Mcps TDD enhanced uplink; Physical layer aspects	
TR 25.827	1.28 Mcps TDD enhanced uplink; Physical layer aspects	
TR 25.829	7.68 Mcps TDD option: RF transmission/reception, System performance requirements and conformance testing	
TR 25.831	Study Items for future release	SPECIFICATION WITHDRAWN
TR 25.832	Manifestations of Handover and SRNS relocation	
TR 25.833	Physical layer items not for inclusion in Release 99	
TR 25.834	UTRA TDD low chip rate option; Radio protocol aspects	
TR 25.835	Report on hybrid ARQ type II/III	SPECIFICATION WITHDRAWN
TR 25.836	Node B synchronization for TDD	
TR 25.837	Hybrid ARQ Type II/III (Iub/Iur aspects)	SPECIFICATION WITHDRAWN
TR 25.838	Node B Synchronisation for TDD (Iub/Iur aspects)	
TR 25.839	Uplink Synchronous Transmission Scheme (USTS) (Iur/Iub aspects)	SPECIFICATION WITHDRAWN
TR 25.840	Terminal power saving features	
TR 25.841	DSCH power control improvement in soft handover	
TR 25.842	Smart antenna	SPECIFICATION WITHDRAWN
TR 25.843	1,28 Mcps TDD UE Radio Access Capabilities	
TR 25.844	Radio access bearer support enhancements	
TR 25.845	FDD RACH and AICH performance requirements	SPECIFICATION WITHDRAWN
TR 25.846	CPCH performance	SPECIFICATION WITHDRAWN
TR 25.847	UE positioning enhancements	
TR 25.848	Physical Layer Aspects of UTRA High Speed Downlink Packet Access	
TR 25.849	DSCH power control improvement in soft handover	
TR 25.850	UE positioning in UTRAN Iub/Iur protocol aspects	

TR 25.851	RAB Quality of Service (QoS) Renegotiation over Iu	
TR 25.852	Iu enhancements for IP Multimedia (IMS) support in UTRAN	SPECIFICATION WITHDRAWN
TR 25.853	Delay budget within the access stratum	
TR 25.854	Uplink Synchronous Transmission Scheme (USTS)	
TR 25.855	High Speed Downlink Packet Access (HSDPA); Overall UTRAN description	SPECIFICATION WITHDRAWN
TR 25.856	High Speed Downlink Packet Access (HSDPA); Layer 2 and 3 aspects	SPECIFICATION WITHDRAWN
TR 25.857	UE positioning enhancements	SPECIFICATION WITHDRAWN
TR 25.858	Physical layer aspects of UTRA High Speed Downlink Packet Access	
TR 25.859	User Equipment (UE) positioning enhancements for 1,28 Mcps TDD	
TR 25.860	Radio access bearer support enhancements	
TR 25.861	RNC - SMLC location protocol	SPECIFICATION WITHDRAWN
TR 25.862	RAB support for IMS	
TR 25.867	Feasibility study for wideband distribution systems in 3rd generation networks	SPECIFICATION WITHDRAWN
TR 25.868	Node B synchronization for 1,28 Mcps TDD	
TR 25.869	Transmitter diversity solutions for multiple antennas	SPECIFICATION WITHDRAWN
TR 25.870	Enhancement on the DSCH Hard Split mode	
TR 25.875	NAS node selector function	
TR 25.876	Multiple Input Multiple Output (MIMO) antennae in UTRA	
TR 25.877	High Speed Downlink Packet Access (HSDPA) - Iub/Iur Protocol Aspects	
TR 25.878	RL timing adjustment	
TR 25.879	Separation of resource reservation and radio link activation	
TS 25.880	Re-arrangement of Iub transport bearers	
TR 25.881	Improvement of Radio Resource Management (RRM) across RNS and RNS/BSS	
TR 25.882	1,28 Mcps TDD option base station classification	
TR 25.883	Direct Transport Bearers Between SRNC and Node-B	
TR 25.884	Iur Neighbouring cell reporting efficiency optimisation	
TR 25.885	UMTS 1800 / 1900 MHz work items report	SPECIFICATION WITHDRAWN
TR 25.886	Small technical enhancements and improvements work item	SPECIFICATION WITHDRAWN
TR 25.887	Beamforming enhancements	
TR 25.888	Improvement of inter frequency and inter system measurement for 1,28 Mcps TDD	
TR 25.889	Feasibility study considering the viable deployment of UTRA in additional and diverse spectrum arrangements	
TR 25.890	High Speed Downlink Packet Access (HSDPA); User Equipment (UE) radio transmission and reception (FDD)	SPECIFICATION WITHDRAWN
TR 25.890	Improvement of Radio Resource Management (RRM) across RNS and RNS/BSS post-Rel-5	SPECIFICATION WITHDRAWN
TR 25.890	Feasibility study for Orthogonal Frequency Division Multiplexing (OFDM) for UTRAN enhancement	
TR 25.893	Radio access bearer scenarios	SPECIFICATION WITHDRAWN
TR 25.894	Enhanced UE positioning using software blanking	
TR 25.895	Analysis of higher chip rates for UTRA TDD evolution	
TR 25.896	Feasibility study for enhanced uplink for UTRA FDD	
TR 25.897	Feasibility study on the evolution of UTRAN architecture	SPECIFICATION WITHDRAWN
TR 25.898	Power control enhancements for UTRA	SPECIFICATION WITHDRAWN
TR 25.899	High Speed Downlink Packet Access (HSDPA) enhancements	
TR 25.901	Network Assisted Cell Change (NACC) from UTRAN to GERAN; Network side aspects	
TR 25.902	Iub/Iur congestion control	
TR 25.903	Continuous connectivity for packet data users	
TR 25.909	Enhanced uplink UTRA FDD; UTRAN Iub/Iur protocol aspects	SPECIFICATION WITHDRAWN

TR 25.912	Feasibility study for evolved Universal Terrestrial Radio Access (UTRA) and Universal Terrestrial Radio Access Network (UTRAN)	
TR 25.913	Requirements for Evolved UTRA (E-UTRA) and Evolved UTRAN (E-UTRAN)	
TR 25.914	Measurements of radio performances for UMTS terminals in speech mode	
TR 25.921	Guidelines and principles for protocol description and error handling	
TR 25.922	Radio resource management strategies	
TR 25.923	Stage 2 Functional Specification of Location Services in UTRAN	SPECIFICATION WITHDRAWN
TR 25.924	Opportunity Driven Multiple Access (ODMA)	SPECIFICATION WITHDRAWN
TR 25.925	Radio Interface for Broadcast/Multicast Services	
TR 25.926	UE Radio Access capabilities definition	SPECIFICATION WITHDRAWN
TR 25.928	1,28 Mcps functionality for UTRA TDD physical layer	
TR 25.931	UTRAN functions, examples on signalling procedures	
TR 25.932	Delay budget within the access stratum	SPECIFICATION WITHDRAWN
TR 25.933	IP transport in UTRAN	
TR 25.934	AAL2 QoS optimization	
TR 25.935	RRM optimisation	
TR 25.936	Handover for realtime services from PS-domain	
TR 25.937	UTRAN TDD low chiprate	
TR 25.938	Terminal power saving features	SPECIFICATION WITHDRAWN
TR 25.941	Document structure	
TR 25.942	Radio Frequency (RF) system scenarios	
TR 25.943	Deployment aspects	
TR 25.944	Channel coding and multiplexing examples	
TR 25.945	RF requirements for low chip rate TDD option	
TR 25.946	RAB Quality of Service (QoS) Negotiation over lu	
TR 25.950	UTRA High Speed Downlink Packet Access (HSDPA)	
TR 25.951	Base Station (BS) classification (FDD)	
TR 25.952	Base Station classification (TDD)	
TR 25.953	TrFO/TFO	
TR 25.950	Migration to modification procedure	
TR 25.956	Universal Terrestrial Radio Access (UTRA) repeater planning guidelines and system analysis	
TR 25.990	Vocabulary for UTRAN	SPECIFICATION WITHDRAWN
TR 25.991	Feasibility study on the mitigation of the effect of common pilot channel (CPICH) interference at the user equipment	
TR 25.992	Multimedia Broadcast/Multicast Service (MBMS); UTRAN/GERAN requirements	
TR 25.993	Typical examples of Radio Access Bearers (RABs) and Radio Bearers (RBs) supported by Universal Terrestrial Radio Access (UTRA)	
TR 25.994	Measures employed by the UMTS Radio Access Network (UTRAN) to overcome early User Equipment (UE) implementation faults	
TR 25.995	Measures employed by the UMTS Radio Access Network (RAN) to cater for legacy User Equipment (UE) which conforms to superseded versions of the RAN interface specification	
TR 25.996	Spatial channel model for Multiple Input Multiple Output (MIMO) simulations	
TR 25.997	(provisionally reserved for: Remote control of electrical tilting antennas) - TP-20: number not used, became 25.802.	SPECIFICATION WITHDRAWN
TR 25.998	UTRAN recommendation and UE allowance for non-essential corrections of a feature made only in a later release	SPECIFICATION WITHDRAWN